

**COLONIAL
HARDWARE**

by

TODHUNTER
414 MADISON AVENUE
NEW YORK

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY
www.apti.org

For the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>

CCV 3627



COLONIAL HARDWARE

HAND wrought hinges, thumb latches, shutter hooks, etc., add greatly to the individuality and distinctive appearance of the home, and no other hardware is as effective for the Colonial or Early English house.

We can now supply these authentic reproductions of early craftsmanship at practically the same cost as stock hardware, and you can obtain it with equal facility — *it is not expensive.*






All pieces are rustproofed and black finished, but on special order can be supplied half polished.

Any essential sizes or descriptions not given under the illustrations, will be found on the accompanying price list.

This booklet has been so arranged, that by referring to index below selections for an entire house may very easily be made.


DOORS	CUPBOARDS . . .	Page 6	KNOCKERS . . .	Page 10
Exterior . . .	Page 2	CASEMENTS . . .	" 7	FOOTSCRAPERS
Dutch . . .	" 3	SHUTTERS . . .	" 8	& LETTER BOXES " 11
Interior . . .	" 4	GARAGE . . .	" 9	BELLS . . . " 12
French . . .	" 5			

EXTERIOR DOORS



For descriptions see opposite page.

DUTCH DOOR



- 3142‡ Hinge plate, 22" x 2" wide at butt
- 3143‡ Hinge plate, 22" x 2" wide at butt
- 3145* Thumb latch, 2 $\frac{3}{4}$ " x 11"
- 3148† Bolt, 2" x 7 $\frac{1}{2}$ ", strike 2 $\frac{1}{4}$ " wide
- 3160 Collar for 1 $\frac{1}{4}$ " cylinder
- 3161 Bell plate, 1 $\frac{1}{8}$ " x 2 $\frac{1}{2}$ ", $\frac{1}{2}$ " hole
- 3162 Thumb turn, with $\frac{1}{8}$ " spindle.
- 3164† Bolt, 4 $\frac{1}{2}$ " x 2", strike 2 $\frac{1}{4}$ " wide
- 3171‡ Hinge plate, 22" x 2" wide at butt
(3170—same 14")
- 3172* Thumb latch, 3 $\frac{1}{4}$ " x 12 $\frac{1}{2}$ "
- 3174* Thumb latch, 3 $\frac{1}{4}$ " x 9 $\frac{1}{2}$ "
- 3178† Top bolt, back plate 2" x 9"
- 3179 Bottom bolt, back plate 2" x 8"

*To operate a cylinder lock, a thumb latch handle is used on each side of door, with cylinder collar 3160 outside and thumb turn 3162 to throw dead bolt, on inside. We can also supply lock with black front and cylinder, to match hardware. When not used to operate a lock, a 7 $\frac{3}{4}$ " latch bar, of type shown on page 4, is used on inside.

†State whether for flush trim or otherwise.

‡Also made smaller, see page 4.

Please give thickness of doors.

3180 Quadrant (to hold the two doors together), with brass knob



3193 ^ Box lock, 7 $\frac{1}{4}$ " x 4 $\frac{1}{4}$ ", face to center of keyhole 2 $\frac{3}{4}$ ", to hub 5 $\frac{1}{8}$ ", strike 1" wide, with 2" solid knob and $\frac{1}{16}$ " straight spindle. (All brass or antique steel with brass knob.) State whether for right or left hand (illustration is right hand)

3194 ^ Solid 2" knob with rose and $\frac{1}{16}$ " straight spindle. Brass or antique steel.

3195 Heavy bit key covered escutcheon, 1" x 2 $\frac{1}{8}$ ". Brass or antique steel
4401 Bell plate, brass or antique steel
3 $\frac{1}{8}$ " x 4", $\frac{3}{8}$ " hole

†For use with stock butt.

INTERIOR DOORS



For descriptions see opposite page.

FRENCH DOORS



- 3140‡ Hinge plate, 14" x 1 $\frac{3}{4}$ " at butt
 3141‡ Hinge plate, 14" x 2" at butt
 3146 H. L., 7" 7", for flush trim
 3147x Thumb latch, 2" x 8"
 3157‡ Hinge plate, 4" x 6".
 3163 Keyhole plate, 1 $\frac{1}{8}$ " x 2"
 3164A Bolt, back plate 2 $\frac{1}{8}$ " x 1 $\frac{3}{8}$ ", strike 1 $\frac{1}{8}$ " wide. For flush trim use
 strike A, otherwise B (3164—same
 4 $\frac{1}{8}$ " long)
 3166* Handle 3 $\frac{1}{8}$ " from center of hub, es-
 cutcheon 1" x 3", with $\frac{5}{16}$ " straight
 spindle.
 3176x Thumb latch, 2 $\frac{3}{4}$ " x 8 $\frac{1}{4}$ "
 3177x Thumb latch, 2 $\frac{1}{4}$ " x 7"
 3183 H, 2 $\frac{3}{4}$ " x 9 $\frac{1}{4}$ " for flush trim
 3188 Bottom bolt, back plate 1 $\frac{1}{8}$ " x 8"
 3189 Top bolt, back plate 1 $\frac{1}{8}$ " x 8". State
 whether for flush trim or otherwise.

*Mention hand wanted (as shown 3192 and 3198 are right hand, 3166 and 3196 left.)


3166 and 3196 can also be supplied as dummy trim, without spindle.

†A complete thumb latch set consists of handle with thumb piece, and for reverse side, latch
 bar 6 $\frac{1}{2}$ " long, two guides and strike.

‡For use with stock butt.


- 3192A* Spring latch, 5" x 2 $\frac{1}{2}$ ", strike 3 $\frac{1}{4}$ "
 wide, with oval brass knob set,
 with locking device. (3192—Same
 without lock.) For flush trim.
 3194A Solid 1 $\frac{1}{8}$ " knob, with rose and
 $\frac{5}{16}$ " straight spindle
 3195 Heavy bit key covered escutcheon,
 1" x 2 $\frac{1}{2}$ ". Brass or antique steel
 3196* Handle 4" from center of hub, es-
 cutcheon 1 $\frac{1}{4}$ " x 4 $\frac{1}{2}$ ", with $\frac{5}{16}$ "
 straight spindle
 3197 Wrought iron escutcheon 1 $\frac{1}{4}$ " x
 2 $\frac{1}{4}$ ", with 1 $\frac{1}{8}$ " oval brass knob
 3198* Brass box lock, 4 $\frac{1}{2}$ " x 4", face to
 center of keyhole 2", to hub 3 $\frac{3}{8}$ "
 strike 1" wide, with 1 $\frac{1}{8}$ " knob and
 $\frac{5}{16}$ " straight spindle. Also made
 larger, see page 2.

Please give thickness of doors.



Kitchen of the Webb House 1792

CUPBOARDS



3144; H. L., $5\frac{1}{4}$ " x 6" (3146—same 7" x 7", 3181—same 4" x $4\frac{1}{2}$ ")

3149; H, $2\frac{1}{8}$ " x 6" (3137—same $1\frac{1}{8}$ " x $4\frac{1}{2}$ ", 3159— $2\frac{1}{4}$ " x 7", 3183—same $2\frac{3}{4}$ " x $9\frac{1}{4}$ ")

3152† Latch $3\frac{1}{4}$ " high, brass knob

3153† Latch $3\frac{1}{4}$ " high (3191—same 7" high)

3157 Hinge plate, 4" x 6", for use with stock butt

3158 Drawer pulls or window lifts, 5" wide

*Mention hand wanted (as shown 3187 is left hand, 3165, 3192 and 3196 right hand).

3196 can also be supplied as dummy trim, without spindle.

†For flush trim only.

3165* Latch" $4\frac{1}{4}$ long (3165A same $7\frac{1}{4}$ "

3187* Latch $1\frac{1}{4}$ " x $2\frac{1}{4}$ ", brass knob,

strike 1" wide. For flush trim

3190† $2\frac{1}{4}$ " x 7" (3182—same, $1\frac{1}{8}$ " x $3\frac{1}{4}$ ")



3192† Spring latch, $5\frac{1}{2}$ " x $2\frac{1}{8}$ ", with oval

† brass knob set. Strike $\frac{3}{4}$ " wide

3196* Handle 4" from center of hub, escutcheon $1\frac{1}{4}$ " x $4\frac{1}{2}$ ", with $\frac{5}{16}$ " straight spindle

3197 Wrought iron escutcheon $1\frac{1}{4}$ " x $2\frac{1}{4}$ ", with $1\frac{1}{8}$ " oval brass knob

CASEMENTS



3157

3156.



Strike
"B"



Strike
"A"



3154



Strike
"A"




Strike
"B"

3154 Casement adjuster, $12\frac{1}{4}$ " long.
 3155† Handle $3\frac{1}{4}$ " from center of hub, es-
 cutcheon $1'' \times 3''$.
 3156† Bolt, back plate $1'' \times 3\frac{1}{4}$ ", brass
 knob. Please state if trim is

flush or otherwise.
 3157 Hinge plate, $4'' \times 6''$, for use with
 stock butt
 3168† Handle $3\frac{1}{4}$ " from center of hub, es-
 cutcheon $1\frac{1}{8}'' \times 4''$.

†Please give hand required (*is right hand as shown*) and if trim or center mullion (if any) is flush or otherwise.

SHUTTERS



3140† Hinge plate, 14" x 1 $\frac{1}{4}$ " at butt
 3141† Hinge plate, 14" x 2" at butt
 3150* Length 6"
 3151 Latch, 3 $\frac{1}{2}$ " long
 3157† Hinge plate, 4" x 6"

3164 Bolt, 4 $\frac{5}{8}$ " x 2", strike 2 $\frac{1}{4}$ " wide
 3184* Length 7"
 3185* Length 7"
 3186* Length 9 $\frac{1}{4}$ " (3186A—Same, 6 $\frac{1}{4}$ " lang)

†For use with stock butt.

*Mounted either on 5" lag screws (as 3185 is shown) or on plates with a 2 $\frac{1}{8}$ " projection, the former for brick or stone and latter for other construction in most cases. Please specify which is required.

GARAGE

- 3138 Length to centre of knuckle 36", leaf 2 $\frac{1}{4}$ " wide
 3139 Length to centre of knuckle 36", leaf 2 $\frac{1}{4}$ " wide
 3169 Thumb latch 3 $\frac{3}{4}$ " x 12 $\frac{1}{2}$ " (for

inside), with 7" latch bar and mortise guide and strike for use with padlock (outside)

3172A Pull handle 3 $\frac{1}{4}$ " x 12 $\frac{1}{2}$ " (for outside)

All garage hardware is extra heavy.

For lanterns and weathervanes see special booklets.

GARAGE



3179



3178



3172.A.



for Outside
use Handle
3172.A. on
Both doors



for inside

3169

For descriptions see opposite page.

DOOR KNOCKERS



3504



3517



3518



3511



3503



3521



3510



3520



5020



5030



5022



3512

All above are antiqued finished brass, except Nos. 5020, 5022 and 5030 which are half polished iron, rustproofed. Other finishes to order. Studs for fastening knockers to door are included.
See price list for sizes.

FOOT SCRAPERS & LETTER BOXES



7806




7006



7805



7002



7004



7003



7021



7016



7005



7001



7017



7019



7018


All these footscrapers are hand forged, galvanized and finished in black, and all necessary screws are included. Please state material to which they are to be fastened.
Letter boxes are heavy gauge antique finished brass, and are supplied with brass padlock.

See price list for sizes.

B E L L S



7807



7808



7801



7199



7809



7804



7810

7399 Sign bracket, back plate 2" x 11", projection 17 $\frac{3}{4}$ ". Antique finished oak board, 14" x 5 $\frac{1}{4}$ ".

7801 42" long, to operate push button, plate 3 $\frac{3}{4}$ " x 5 $\frac{1}{2}$ ", with 5 $\frac{1}{2}$ " hole, chain brackets are 4 $\frac{1}{2}$ " wide.

7804 Dolphin design push plate in antique brass, for cord or tapestry pull; back plate 2 $\frac{3}{4}$ " x 5".

7807 Bracket 14 $\frac{1}{2}$ " wide x 16 $\frac{1}{2}$ " high,


All above are wrought iron, rustproofed and black finish, except where otherwise noted.

projection 17", with 7" bronze bell

7808 Bracket 14" wide x 21" high over all, projection 9 $\frac{1}{2}$ ", in antique steel with 5" bronze bell

7809 Back plate 7" wide at top x 19 $\frac{1}{4}$ "; projection 14 $\frac{3}{4}$ " in antique steel with 5" bronze bell

7810 Back plate 2 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ ", projection 11 $\frac{1}{4}$ ", with 5" bronze bell





No. 6701

CHIMNEY IRON